


## 荷兰进口加热器



Model:HBB	Unit	HHB-40	HHB-70	HHB-100	HHB-120
Related load	kW	40	70	100	120
	K.cal	34,300	60200	86,000	103,200
	Btu	136,136	238,910	341,300	409,560
Air movement	m³/h	3800	5000	6500	6500
Electric Consumption	Watt	1.3	1.8	2.75	2.75
Gas Consumpt.(Prop.)	kg/h	2.9	5.4	6.5	8.1
Gas Consumpt.(Nat.)	m³/h	4.3	7.5	10.8	13
Engine power	Watt	265	375	620	620
Revolution Speed	R.p/m	1330	1400	1400	1400
Voltage	Volt	230	230	230	230
Weight	Kilo	41.1	45.4	53.6	53.6
Dimensions	mm(l*w*h)	1050*637*575	1050*637*575	1152*689*624	1152*689*624



Type HHO		8 LTR	10 LTR	12 LTR
Related load	kW	80	100	120
	K.cal	68000	86000	103000
Consumption oil	L.p/h	8	10	12
Air movement	m <sup>3</sup> p/h	7700	7700	7700
Air throw	Metre	45	45	45
Engine power	Watt	770	770	810
Voltage	Volt	230	230	230
Electric Consumption	Amp.	3.5	3.5	3.7
Revolution Speed	R.p/m	1400	1400	1400
Weight	Kilo	55	55	65



TYPE HHV		20	40
Capacity	kw	20	40
	K.cal	17,150	34,300
	Btu	68,068	136,136
Fuel consumption (natural gas)	m <sup>3</sup> P/h	2.1	4.3
Fuel consumption (Propane)	Kg P/h	1.4	2.9
Air movement	m <sup>3</sup> /h	1750	2450
Electrical power motor	W	165	235
Voltage	V	230	230
Amperage	Amp	0.9	1.18
Speed	Umdr./min.	1280	1310
Weight	Kg	25	30